

And

Catalog

Price List

Specialty Hardware for the Display Industry Source Supplier for the Panel Lock!

Visit us on the web at: displayinnovations.com e-mail: sales@displayinnovations.com

Catalog updated: November 2013

Display Innovations 8160 Jensen Avenue South St. Paul, Minnesota 55016-3440

Phone: 800-583-9691 (Sales orders) Phone: 651-459-3816 (Office) Fax: 651-459-3841 (Purchase Orders)




Table of Contents

| Our Panel Locks | |
|--|----|
| Panel Lock Hooks (Male) | |
| Panel Lock Strikes (Female) | |
| Terms & Shipping | |
| Terms | |
| Shipping | |
| Pricing | |
| Panel Locks-Sets | |
| Panel Locks (Male) | |
| Panel Lock Strike 7/16" (Standard) | |
| Additional Panel Locks Strikes | |
| Panel Lock Accessories | |
| Panel Lock Wrench-Standard | |
| Panel Lock Wrench-Extended | |
| Panel Lock Spacers | |
| Panel Lock Drilling Kit | |
| Hardware | |
| Bolts: Carriage, Fully Threaded | |
| Bolts: Exhibit, Fully Threaded | 6 |
| Torque Washers | |
| Machine Screws, Fully Threaded | |
| Wing Screws 1/4-20 | |
| Washer Base Wing Nuts | |
| Tee Nuts | |
| Inserts: Knife Thread, Hex Drive | 8 |
| Inserts: Knife Thread, Non Hex Drive | |
| Hasps | |
| Hasps-Hinge—Ultra | |
| Hasps-Hinge-National | |
| Hasps-Safety-Ultra | |
| Hasps-Safety-National | |
| Replacement Staples | |
| Hinges | |
| 6" Strap Hinge, Standard Duty-Ultra | |
| 6" Strap Hinge, Heavy Duty-National | |
| Hangers | |
| Z-Clips & Z-Strips | |
| Crating Felt | 12 |
| PSA Backed (Pressure Sensitive Adhesive) | |
| Non-Backed (No Adhesive) | |
| Hole Plugs | |
| Metal Hole Plugs | |
| Plastic Hole Plugs | - |
| Vent Plugs | |
| 4" Hand Hole Plugs | |
| Electrical Cords-Extension | |
| S3 Series | |
| J3 Series | |
| Flat Extension Cords SPT-3 Heavy Duty (Low Profile) | |
| Flat Extension Cords SPT-2 Standard Duty (Low Profile) | |
| Electrical-Multi Outlet | |
| Triple Outlet | |
| Multi Outlet Strip with Surge Protection | |
| Multi Outlet Strip without Surge Protection | |
| Heavy Duty 4-Way Power Distribution | |
| Electrical Cords-Replacement | |
| Replacement Cords-Male End | |
| Replacement Cords-Female End | |
| Electrical Cords Accessories—Cord-Lox | |
| Instructions for Hole Drilling Kit | |
| Panel Lock Installation Instructions | 19 |

Our Panel Locks

Panel Lock Hooks (Male)

Our "Best in the Industry" panel lock simplifies exhibit assembly for reduced set up costs. These latch assemblies are high quality all steel construction, made to stand up to repeated usage and can be used in all types of joints. There are no known failures of these locks while in use. They are used for backwall panels, headers, staging sections, platforms, and specifically designed for the display industry for strong quick connections. Panel lock hook (male) is used in conjunction with the panel lock strike (female).

A panel lock wrench is used to rotate the cam to engage the lock. As the cam is rotated the hook moves out and downward until it engages the strike pin. As the cam is further rotated it draws the hook back pulling the panels together with a high level of pressure. Because the hook and

strike are mounted on the apposing faces of the panel stiles they are drawing against the stile material and not relying on the strength of the screws to hold the locks in place. This mounting method eliminates the potential for failure experienced with other styles of panel locks.

Panel Lock Strikes (Female)

Our standard panel lock strikes are designed to be used in panels where two 3/4" thick stiles are being locked together for a total thickness of 1-1/2". Should you be using a material that is a different thickness than the 1-1/2" total mentioned above, we have other strikes available that will allow for a total stile thickness of 1-9/16" to 1-13/16". Refer to "Panel Lock Strikes" on page #4 for the different sizes available. When using material that is undersized, as in two layers of plywood that equals 1-7/16" we recommend the use of spacer places. These plates are available on page #5.

Terms & Shipping

Terms


Net 30 days with approved credit. Visa, MasterCard, American Express and PayPal are accepted. COD shipments are available upon request. UPS charges a minimum \$10.00 fee for collecting COD payments and this fee will be added to the invoice.


Shipping

All shipments are FOB Display Innovations, St Paul Minnesota. All orders ship UPS Ground unless otherwise requested. Next Day Air, 2nd Day Air and Saturday delivery are available.

Pricing

All prices are subject to change without notice. Refer to online catalog or website for current pricing.





Panel Locks



Panel lock hook (Male)

Our panel lock hooks or "male" component. One set consists of one hook and one strike, see below for sets.

PART # PLH PLH-25 PLH-50

DESCRIPTION

Panel lock hook (Male) Panel lock hook (Male) Panel lock hook (Male)

| MEASURE |
|-------------|
| Each |
| Bag of (25) |
| Bag of (50) |

PRICE \$ 8.90 ea \$216.25 ea \$432.50 ea



Panel lock strike 7/16" (Female) Our Standard

Our standard panel locks are designed to be used in panels where two 3/4" thick stiles are being locked together for a total thickness of 1-1/2". Note: When using plywood for stiles please verify the plywood thickness used. Plywood is sometimes undersized from the stated 3/4". Spacer plates are recommended for use with undersized plywood. See following page.

PART # PLS_4375 PLS_4375-25 PLS_4375-50

| DESCRIPTION | MEASURE | PRICE |
|------------------------------------|-------------|------------|
| Panel lock strike 7/16" (Standard) | Each | \$ 1.95 ea |
| Panel lock strike 7/16" (Standard) | Bag of (25) | \$45.00 ea |
| Panel lock strike 7/16" (Standard) | Bag of (50) | \$90.00 ea |

Panel Locks Sets

Our panel lock hooks and strikes are typically bagged with (25) or (50) units per bag. One set consists of one hook and one strike. One box set will consist of one bag of hooks and one bag of 7/16" strikes.

| PART # | DESCRIPTION | MEASURE | PRICE |
|-----------|------------------------------|-------------|-------------|
| PL_Set-25 | Panel lock hook & strike set | Box of (25) | \$261.25 ea |
| PL_Set-50 | Panel lock hook & strike set | Box of (50) | \$522.50 ea |

There are several quantity discounts for the boxes of (50) sets based on the following quantities:

| (2) | to | (4) boxes | = 5% discount | (5) to (9) boxes = 10% discount |
|------|----|------------|----------------|------------------------------------|
| (10) | to | (19) boxes | = 15% discount | (20)+ boxes = 17% discount |




Additional panel lock strikes

Should you be using a material that is a different thickness than the 1-1/2" total mentioned above, we have other strikes available that will allow for a total stile thickness of 1-9/16" to 1-13/16". Listed below are the three sizes available, and the associated stile thickness.

| PART # | DESCRIPTION | WORK THICKNESS | MEASURE | PRICE |
|-------------|--------------------------|----------------|-------------|------------|
| PLS_500 | Panel lock strike 1/2" | 1-9/16" | Each | \$ 2.25 ea |
| PLS_500-25 | Panel lock strike 1/2" | 1-9/16" | Bag of (25) | \$55.00 ea |
| PLS_6875 | Panel lock strike 11/16" | 1-3/4" | Each | \$ 2.25 ea |
| PLS_6875-25 | Panel lock strike 11/16" | 1-3/4" | Bag of (25) | \$55.00 ea |
| PLS_750 | Panel lock strike 3/4" | 1-13/16" | Each | \$ 2.25 ea |
| PLS_750-25 | Panel lock strike 3/4" | 1-13/16" | Bag of (25) | \$55.00 ea |

Panel Lock Accessories





Panel Lock Spacers

These shims are used between the strike plate and the mounting surface. The shims compensate for materials that are less than a full $\frac{3}{4}$ " thick such as plywood. The spacer plates are used in pairs with each strike. Spacer plate consists of stamped steel. Saves shop labor fabricating your own shims and provides a consistent crush proof spacer. Sold in packs of (100).

| PART # | DESCRI |
|---------------|---------------|
| PL_Spacer-100 | Spacer plates |

DESCRIPTION pacer plates 7/16" to 3/8" **QUANTITY PRICE** Bag of (100) \$36.00 ea



Panel Lock Drilling Kit

This kit was designed to eliminate the problem of panel lock wrench access holes in panels that do not line up exactly with the wrench hole in the lock. This misalignment requires that larger than necessary wrench access holes be drilled through the panel. This misalignment can also create problems for the set-up crew. This kit eliminates the potential for misalignment and speeds up the installation process. For more information see page #18

Kit consists of two drill bits and a drilling sleeve. The kit is very easy to use and includes complete instructions.

| PART # | DESCRIPTION | QUANTITY | PRICE |
|----------|----------------------|----------|------------|
| Drillkit | Panel lock drill kit | Each | \$44.00 ea |

Hardware

Bolts: Carriage, Fully Threaded

1/4-20 Carriage Bolts, Fully Threaded, Steel with Zinc finish. Round head, square neck, manufactured to ASME B18.5 specifications, tensile strength: 60,000 psi. We stock 1/4-20 carriage bolts in seven lengths. We can order a large variety of different sizes and lengths in addition to the sizes in stock. Special order sizes are available in case quantities. Quantities vary per case depending on bolt size. Lead time for delivery on case quantities is typically two to four days.

| PART # | DESCRIPTION | MEASURE | PRICE |
|----------------------|-------------------------------------|-----------------|--------------|
| CBolt250-20x1.5-100 | $1/4-20 \times 1-1/2"$ Full thread | Bag of (100) | \$9.60 ea |
| CBolt250-20x2-100 | $1/4-20 \times 2"$ Full thread | Bag of (100) | \$10.00 ea |
| CBolt250-20x2.5-100 | $1/4-20 \times 2-1/2"$ Full thread | Bag of (100) | \$13.00 ea |
| CBolt250-20x3-100 | $1/4-20 \times 3"$ Full thread | Bag of (100) | \$13.70 ea |
| CBolt250-20x4-100 | $1/4-20 \times 4"$ Full thread | Bag of (100) | \$14.90 ea |
| CBolt250-20x5-100 | $1/4-20 \times 5"$ Full thread | Bag of (50) | \$9.10 ea |
| CBolt250-20x6-50 | $1/4-20 \times 6"$ Full thread | Bag of (50) | \$10.50 ea |
| PART # | DESCRIPTION | MEASURE | PRICE |
| CBolt250-20x1.5-1000 | $1/4-20 \times 1-1/2$ " Full thread | Case of (1,000) | \$53.50 ea |
| CBolt250-20x2-800 | $1/4-20 \times 2$ " Full thread | Case of (800) | \$45.80 ea |
| CBolt250-20x2.5-700 | $1/4-20 \times 2-1/2$ " Full thread | Case of (700) | \$56.00 ea |
| CBolt250-20x3-600 | $1/4-20 \times 3$ " Full thread | Case of (600) | \$51.20 ea |
| CBolt250-20x4-400 | $1/4-20 \times 4$ " Full thread | Case of (400) | \$37.00 ea |
| CBolt250-20x5-400 | $1/4-20 \times 5$ " Full thread | Case of (400) | \$45.60 ea |
| CBolt250-20x6-300 | $1/4-20 \times 6$ " Full thread | Case of (300) | \$41.00 ea |

Bolts: Exhibit, Fully Threaded

1/4-20 Exhibit Bolts, Fully Threaded, Steel with Zinc finish. Flat head, square neck, manufactured to ASME B18.5 specifications. Exhibit bolts are like carriage bolts but with a 1" diameter flat heads which allows pressure to spread over a much larger area. Used on exhibit panels, crates, etc. We stock 1/4-20 carriage bolts in four lengths. We can order a lar siz

| PART # DESCRIPTION EBolt250-20x1.5-100 1/4-20 x 1-1/2" Full thread EBolt250-20x2-100 1/4-20 x 2" Full thread EBolt250-20x2.5-100 1/4-20 x 2-1/2" Full thread EBolt250-20x3-100 1/4-20 x 3" Full thread | MEASURE Bag of (100) Bag of (100) Bag of (100) Bag of (100) | PRICE \$25.50 ea \$30.10 ea \$34.50 ea \$39.20 ea |
|--|---|--|
|--|---|--|

Torque Washers

Torque washers are made to be used with 1/4" carriage bolts. They serve two purposes, to increase the head diameter of the carriage bolt to 1", spreading the head load over a much larger area. Because the washers have a square center hole and prongs on the bottom side of the washer, they lock the carriage bolt in place and prevent it from turning during tightening or loosening of the nut. An excellent companion for the carriage bolt and washer base wing nut.



PART

Torque_washer-100 * (5) bags or more, price per bag:

DESCRIPTION Torque washer for 1/4" carriage bolts

MEASURE Bag of (100) Bag of (100)

PRICE \$12.25 ea \$11.64 ea

| • | es and lengths in addition to the sizes in st quantities. Case quantities vary depending | • | | |
|--------------------|---|--------------|------------|--|
| ART # | DESCRIPTION | MEASURE | PRICE | |
| Bolt250-20x1.5-100 | 1/4-20 x 1-1/2" Full thread | Bag of (100) | \$25.50 ea | |
| Bolt250-20x2-100 | 1/4-20 x 2" Full thread | Bag of (100) | \$30.10 ea | |
| Bolt250-20x2.5-100 | 1/4-20 x 2-1/2" Full thread | Bag of (100) | \$34.50 ea | |
| Bolt250-20x3-100 | 1/4-20 x 3" Full thread | Bag of (100) | \$39.20 ea | |
| | | | | |

| o tour days. | | | |
|--------------|-----------------------------|----------------------------|-----------|
| | DESCRIPTION | MEASURE | PRICE |
| 100 | 1/4-20 x 1-1/2" Full thread | Bag of (100) | \$9.60 |
| 00 | 1/4-20 x 2" Full thread | Bag of (100) | \$10.00 |
| 100 | 1/4-20 x 2-1/2" Full thread | Bag of (100) | \$13.00 |
| 00 | 1/4-20 x 3" Full thread | Bag of (100) | \$13.70 |
| 00 | 1/4-20 x 4" Full thread | Bag of (100) | \$14.90 |
| 00 | 1/4-20 x 5" Full thread | Bag of (50) | \$9.10 |
| C | 1/4-20 x 6" Full thread | Bag of (50) | \$10.50 |
| | DESCRIPTION | MEASURE | PRICE |
| 1000 | 1/4-20 x 1-1/2" Full thread | Case of (1,000) | \$53.50 |
| 00 | 1/4-20 x 2" Full thread | Case of (800) | \$45.80 |
| 700 | 1/4-20 x 2-1/2" Full thread | Case of (700) | \$56.00 |
| 00 | 1/4-20 x 3" Full thread | Case of (600) | \$51.20 |
| 00 | 1/4-20 x 4" Full thread | Case of (400) | \$37.00 |
| ~ ~ | | a a a a a a a a a a | ÷ 1 = 0 0 |

Machine Screws, Fully Threaded

1/4-20 machine screws, fully threaded, steel with zinc finish. Truss head, Phillips manufactured to ASME B18.6.3 specifications. We stock 1/4-20 machine screws in five lengths. We can order a large variety of different sizes and lengths in addition to the sizes in stock. Special order sizes are available in case quantities. Case quantities vary depending on size of machine screw. Typical delivery time of two to four days for special order cases.



| PART # | DESCRIPTION | MEASURE | PRICE |
|----------------------|--------------------------------------|-----------------|-------------|
| MSPT250-20x1.5-100 | 1/4-20 x 1-1/2" Phillips, truss head | Bag of (100) | \$12.90 ea |
| MSPT250-20x2-100 | 1/4-20 x 2" Phillips, truss head | Bag of (100) | \$12.00 ea |
| MSPT250-20x2.5-100 | 1/4-20 x 2-1/2" Phillips, truss head | Bag of (100) | \$12.50 ea |
| MSPT250-20x3-100 | 1/4-20 x 3" Phillips, truss head | Bag of (100) | \$19.40 ea |
| MSPT250-20x4-100 | 1/4-20 x 4" Phillips, truss head | Bag of (100) | \$23.30 ea |
| MSPT250-20x5-50 | 1/4-20 x 5" Phillips, truss head | Bag of (50) | \$12.80 ea |
| MSPT250-20x6-50 | 1/4-20 x 6" Phillips, truss head | Bag of (50) | \$13.20 ea |
| PART # | DESCRIPTION | MEASURE | PRICE |
| MSPT250-20x1.25-2000 | 1/4-20 x 1-1/4" Phillips, truss head | Case of (2,000) | \$117.10 ea |
| MSPT250-20x1.5-1250 | 1/4-20 x 1-1/2" Phillips, truss head | Case of (1,250) | \$96.20 ea |
| MSPT250-20x2-1000 | 1/4-20 x 2" Phillips, truss head | Case of (1,000) | \$78.80 ea |
| MSPT250-20x2.5-800 | 1/4-20 x 2-1/2" Phillips, truss head | Case of (800) | \$68.00 ea |
| MSPT250-20x3-500 | 1/4-20 x 3" Phillips, truss head | Case of (500) | \$79.30 ea |
| MSPT250-20x4-400 | 1/4-20 x 4" Phillips, truss head | Case of (400) | \$75.20 ea |
| MSPT250-20x5-400 | 1/4-20 x 5" Phillips, truss head | Case of (300) | \$62.70 ea |
| MSPT250-20x6-400 | 1/4-20 x 6" Phillips, truss head | Case of (200) | \$44.00 ea |

Wing Screws 1/4-20

1/4-20 wing screws, Fully Threaded, Steel with Zinc finish. Wingnut head, manufactured to ASME B18.5 specifications, Base, (underside of head) diameter is .045". We stock 1/4-20 wing screws in four lengths. We can order a large variety of different sizes and lengths in addition to the sizes in stock. Special order sizes are available in case quantities. Case quantities vary depending on size.

| PART # | DESCRIPTION | MEASURE | PRICE |
|------------------|-----------------------------|--------------|--------------|
| WS250-20x.50-100 | 1/4-20 x 1/2" Full thread | Bag of (100) | \$34.00 ea |
| WS250-20x.75-100 | 1/4-20 x 3/4" Full thread | Bag of (100) | \$34.00 ea |
| WS250-20x1-100 | 1/4-20 x 1" Full thread | Bag of (100) | \$34.00 ea |
| WS250-20x1.5-100 | 1/4-20 x 1-1/2" Full thread | Bag of (100) | \$34.00 ea |
| | | | |

As a result of manufacturers discontinuing production of some products, some items have been deleted from the catalog. We still have some of these products in stock but not listed in the catalog. Check the website at <u>displayinnovations.com</u> for a complete listing of all products available or give us a call and ask. We are also able to special order a large variety of items not listed. Have a need? Give us a call, we can probably get it for you.

Washer Base Wing Nuts

Speeds exhibit set-up and dismantle when using the "Nut & Bolt" method of assembly. These are a very popular item. Die cast, zinc alloy with 7/8" washer base. Eliminates the need for a separate washer and spreads the pressure of the nut over a broader area. Note: Using Philips machine screws in combination with these wing nuts and using a cordless screw gun provides a very fast method of assembly and dismantle.

| PART # | DESCRIPTION | MEASURE | PRICE |
|------------------|--------------------------------------|---------------------|-------------|
| WBWN250-20-100 | 1/4-20 x 7/8" washer based wing nut | Bag of (100) | \$24.00 ea |
| WBWN3125-18-100 | 5/16-18 x 7/8" washer based wing nut | Bag of (100) | \$24.00 ea |
| WBWN375-16-100 | 3/8-16 x 7/8" washer based wing nut | Bag of (100) | \$24.00 ea |
| WBWN250-20-500 | 1/4-20 x 7/8" washer based wing nut | Bag of (500) | \$95.00 ea |
| WBWN3125-18-500 | 5/16-18 x 7/8" washer based wing nut | Bag of (500) | \$95.00 ea |
| WBWN375-16-500 | 3/8-16 x 7/8" washer based wing nut | Bag of (500) | \$95.00 ea |
| WBWN250-20-1000 | 1/4-20 x 7/8" washer based wing nut | Box of (1,000) | \$166.50 ea |
| WBWN3125-18-1000 | 5/16-18 x 7/8" washer based wing nut | Box of (1,000) | \$166.50 ea |
| WBWN375-16-1000 | 3/8-16 x 7/8" washer based wing nut | Box of (1,000) | \$166.50 ea |
| WBWN250-20-1000 | 1/4-20 x 7/8" washer based wing nut | (5)+ Box of (1,000) | \$149.85 ea |
| WBWN3125-18-1000 | 5/16-18 x 7/8" washer based wing nut | (5)+ Box of (1,000) | \$149.85 ea |
| WBWN375-16-1000 | 3/8-16 x 7/8" washer based wing nut | (5)+ Box of (1,000) | \$149.85 ea |

Tee Nuts

A true "T" nut and the choice of the exhibit and display industry. These tee nuts provide a fast, permanent installation. The tee nuts are typically anchored in place using two #6-1/2" pan head screws or equivalent.

1/4-20: 1/2" x 1" mounting plate, threaded barrel is 5/16" x 11/32" deep.

5/16-18: 1/2" x 1" mounting plate, threaded barrel is 3/8" x 7/8" deep.

3/8-16: 5/8" x 1" mounting plate, threaded barrel is 7/16" x 7/16" deep.

PART # T-Nut250-20-250 T-Nut3125-18-100 T-Nut375-16-100

HDKT3125-18x1-100

HDKT375-16x1-100

3/8"

DESCRIPTION T-Nut, 1/4-20 T-Nut, 5/16-18 T-Nut, 3/8-16

MEASURE Bag of (250) Bag of (100) Bag of (100)

PRICE \$59.00 ea \$41.00 ea \$26.00 ea

\$30.40 ea

\$51.65 ea

Bag of (100)

Bag of (100)


5/16"

Inserts: Knife Thread, Hex Drive

An economical, effective way to use machine thread fasteners in wood. These inserts drive in with a hex driver and have a flange to prevent them from going to far into the wood. Inserts are die cast zinc. These inserts are sold as assemblies and one (1) hex driver is included with each pack of (100)

| THREAD SIZE | LENGTH | PILOT HOLE SIZE | neter | DRIVER SIZE |
|--------------------|---------------------------------|------------------------|----------------|--------------|
| 1/4-20 | 1/2", 3/4" & 1" | 5/16" Diameter | | 6mm |
| 5/16-18 | 1" | 7/16" - 1/2" Diar | | 8mm |
| 3/8-16 | 1" | 1/2" - 33/64" Dia | | 10mm |
| PART # | DESCRIPTION | 1/4-20 x 3/4" | MEASURE | PRICE |
| HDKT250-20x.50-100 | Insert, hex drive, knife thread | | Bag of (100) | \$19.00 ea |
| HDKT250-20x.75-100 | Insert, hex drive, knife thread | | Bag of (100) | \$24.20ea |
| HDKT250-20x1-100 | Insert, hex drive, knife thread | | Bag of (100) | \$28.25ea |

Insert, hex drive, knife thread 1/4-20 x 1 Insert, hex drive, knife thread 5/16-18 x 1" Insert, hex drive, knife thread 3/8-16 x 1"







Page 8

Inserts: Knife Thread, Non Hex Drive

Knife thread inserts are meant to be used in wood where machine threads are needed. Inserts are brass.

THREAD SIZE 1/4-20

LENGTH 1/2"

PILOT HOLE SIZE 3/8" Diameter

PART # HDNKTB25-20x.50-100 Insert_NHD_driver

DESCRIPTION Insert, hex drive, Non-knife thread 1/4-20 x 1/2" Driver for non-hex drive insert, 1/4-20

MEASURE Bag of (100) Each

PRICE \$35.00 ea \$11.00 ea

Hasps-Hinge



Hasps-Hinge-Ultra

6" Hinge hasps used for crating, zinc plated steel, Ultra Manufacturing. The staples for these hasps are steel base plates with fixed rolled rod for the "D". This style staple tends to be easier to latch when crate doors are sprung or misaligned.

(Screws are not included)

PART # HaspSTD6U HaspSTD6U-25 HaspSTD6U-25

DESCRIPTION

6" hinge hasp with staple, zinc plated steel-Ultra 6" hinge hasp with staple, zinc plated steel-Ultra 6" hinge hasp with staple, zinc plated steel-Ultra

| MEASURE | PRICE |
|------------------|------------|
| Each | \$ 4.15ea |
| Box of (25) | \$99.75 ea |
| (2)+ Box of (25) | \$94.76 ea |



Hasps-Hinge-National

6" Hinge hasps with staples used for crating, zinc plated steel, National Manufacturing. The staples for these hasps are single piece formed steel. (Screws are not included)

PART # HaspSTD6N HaspSTD6N-10 HaspSTD6N-10

DESCRIPTION

6" hinge hasp with staple, zinc plated steel-National 6" hinge hasp with staple, zinc plated steel-National 6" hinge hasp with staple, zinc plated steel-National

| MEASURE | PRICE |
|------------------|------------|
| Each | \$ 4.15 ea |
| Box of (10) | \$39.90 ea |
| (5)+ Box of (10) | \$37.90 ea |

Page 9



DRIVER SIZE

mm

Hasps-Safety



Safety Hasp-National

6" Safety hasp and staple, zinc plated steel, National Manufacturing. The staples for these hasps are single piece formed steel. Safety hasps differ from standard hasp as the mounting plate and staple are covered by the hasp plate. The screws are not accessible when the hasp is closed. Screws are not included)

PART # HaspSFT6N HaspSFT6N-10 HaspSTD6N-10

DESCRIPTION

6" Safety hasp with staple, zinc plated steel-National 6" Safety hasp with staple, zinc plated steel-National 6" Safety hasp with staple, zinc plated steel-National

| MEASURE | PRICE |
|------------------|------------|
| Each | \$ 4.15ea |
| Box of (10) | \$40.95 ea |
| (5)+ Box of (10) | \$38.90 ea |

ea

ea



Safety Hasp-Ultra

6" Safety hasp with adjustable staple, zinc plated steel, Ultra Manufacturing. The staples for these hasps are steel base plates with rolled rod for the "D". The "D" is fixed to a separate plate that allows movement and adjustability. Safety hasps differ from standard hasp as the mounting plate and staple are covered by the hasp plate. The screws are not accessible when the hasp is closed. Screws are not included)

PART # HaspSFT6U HaspSFT6U-12 HaspSTD6U-12

DESCRIPTION

6" Safety hasp with staple, zinc plated steel-Ultra 6'

| 6" Safety hasp with staple, zinc plated steel–Ultra | |
|---|--|
| 6" Safety hasp with staple, zinc plated steel—Ultra | |

| MEASURE | PRICE |
|------------------|------------|
| Each | \$ 4.15 ea |
| Box of (12) | \$49.15 ea |
| (5)+ Box of (12) | \$46.69 ea |

Replacement Staples



Replacement staples for hinge hasps. Forklifts and transportation in general can be very unkind to crates and hasps. We offer replacements staples so you don't have to replace the entire hasp. (Screws are not included)



National

Ultra

PART # Staple_STDU Staple_STDN Staple_STDU-25 Staple_STDN-20

DESCRIPTION

Replacement staple, zinc plated steel–Ultra Replacement staple, zinc plated steel-National Replacement staple, zinc plated steel-Ultra Replacement staple, zinc plated steel-National

| MEASURE | PRICE |
|-------------|-------------|
| Each | \$ 1.50 ea |
| Each | \$ 1.50 ea |
| Bag of (25) | \$ 36.25 ea |
| Bag of (20) | \$ 29.00 ea |

Hinges



Note: The manufacturer of these hinges has discontinued producing them and we are completely out of stock. We are currently researching other manufacturers for a comparable replacement

6" Strap Hinge, Standard Duty

6" strap hinge used for crating, zinc plated steel, Ultra Manufacturing. (Screws are not included)

| PART # HingeSTD6U | DESCRIPTION 6" Strap hinge, zinc plated steel–Ultra | MEASURE Each | PRICE \$ 2.25 ea |
|-----------------------------|---|------------------------|----------------------------|
| HingeSTD6U-25 | 6" Strap hinge, zinc plated steel—Ultra | Bag of (25) | \$50.00 ea |
| HingeSTD6U-50 | 6" Strap hinge, zinc plated steel—Ultra | Box of (50) | \$95.00 ea |
| HingeSTD6U-50 | 6" Strap hinge, zinc plated steel—Ultra | (2)+ Box of (50) | \$90.25 ea |



6" Strap Hinge, Heavy Duty

6" heavy duty hinge used for crating, zinc plated steel, Stanley / National Manufacturing. These hinges include a pivot bushing that improves the longevity and performance. (Screws are not included)

PART

HingeHD6N HingeHD6N-10 HingeHD6N-10

DESCRIPTION

6" strap hinge, heavy duty, zinc plated steel-National 6" strap hinge, heavy duty, zinc plated steel-National 6" strap hinge, heavy duty, zinc plated steel-National

| PRICE |
|-----------|
| \$ 3.40 € |
| \$31.50 |
| \$29.93 |
| |

ea ea ea

Hangers

PART # Z-Clip_P2-20 Z-Clip_P2-20 Z-Strip_P72

Z-Clips & Z-Strips

These clips have been a very popular hanger for a very long time. These clips are used in a variety of mounting applications. The clips can be used in conjunction with the hanging strip or as sets. The strip can also be used as an alignment

DESCRIPTION Z-clips, 2" punched aluminum Z-clips, 2" punched aluminum Z-clips, 72" punched aluminum

tool when mounting several clips in a line.

MEASURE Bag of (20) Bag of (100) Each

PRICE \$ 11.25 ea \$ 42.50 ea \$ 13.00 ea





Crating Felt



This felt is well suited for crating and general packaging. We carry four widths, and two thicknesses, each with and without adhesive backing on 50 foot or 100 foot rolls, depending on the thickness. The 1/4" adhesive backed felt is especially well suited for crating as it offers extra cushion and does not require any mechanical fasteners. The color is white.



** Note our lower sale price for felt!

PSA Backed (Pressure Sensitive Adhesive)

| PART # | DESCRIPTION | MEASURE | PRICE |
|---------------------|--|--------------|-------------|
| Felt250x1x50_PSA | Felt 1/4" x 1" x 50' roll with PSA back | Each | \$ 11.00 ea |
| Felt250x1x50_PSA | Felt 1/4" x 1" x 50' roll with PSA back | (11) + rolls | \$ 10.45 ea |
| Felt250x1.5x50_PSA | Felt 1/4" x 1-1/2" x 50' roll with PSA back | Each | \$ 14.60 ea |
| Felt250x1.5x50_PSA | Felt 1/4" x 1-1/2" x 50' roll with PSA back | (11) + rolls | \$ 13.87 ea |
| Felt250x2x50_PSA | Felt $1/4$ " x 2" x 50' roll with PSA back | Each | \$ 18.30 ea |
| Felt250x2x50_PSA | Felt 1/4" x 2" x 50' roll with PSA back | (11) + rolls | \$ 17.39 ea |
| Felt250x3x50_PSA | Felt $1/4$ " x 3" x 50' roll with PSA back | Each | \$ 23.80 ea |
| Felt250x3x50_PSA | Felt 1/4" x 3" x 50' roll with PSA back | (11) + rolls | \$ 22.61 ea |
| | | | |
| Felt125x1x100_PSA | Felt 1/8" x 1" x 100' roll with PSA back | Each | \$ 14.00 ea |
| Felt125x1x100_PSA | Felt 1/8" x 1" x 100' roll with PSA back | (11) + rolls | \$ 13.30 ea |
| Felt125x1.5x100_PSA | Felt 1/8" x 1-1/2" x 100' roll with PSA back | Each | \$ 19.20 ea |
| Felt125x1.5x100_PSA | Felt 1/8" x 1-1/2" x 100' roll with PSA back | (11) + rolls | \$ 18.24 ea |
| Felt125x2x100_PSA | Felt 1/8" x 2" x 100' roll with PSA back | Each | \$ 24.20 ea |
| Felt125x2x100_PSA | Felt 1/8" x 2" x 100' roll with PSA back | (11) + rolls | \$ 22.99 ea |
| Felt125x3x100_PSA | Felt 1/8" x 3" x 100' roll with PSA back | Each | \$ 34.60 ea |
| Felt125x3x100_PSA | Felt 1/8" x 3" x 100' roll with PSA back | (11) + rolls | \$ 32.87 ea |

Non-Backed (No Adhesive / Raw)

| PART # | DESCRIPTION | MEASURE | PRICE |
|---------------------|--------------------------------|--------------|-------------|
| Felt250x1x50_Raw | Felt 1/4" x 1" x 50' roll | Each | \$ 6.20 ea |
| Felt250x1x50_Raw | Felt 1/4" x 1" x 50' roll | (11) + rolls | \$ 5.89 ea |
| Felt250x1.5x50_Raw | Felt 1/4" x 1-1/2" x 50' roll | Each | \$ 9.00 ea |
| Felt250x1.5x50_Raw | Felt 1/4" x 1-1/2" x 50' roll | (11) + rolls | \$ 8.55 ea |
| Felt250x2x50_Raw | Felt 1/4" x 2" x 50' roll | Each | \$ 11.90 ea |
| Felt250x2x50_Raw | Felt 1/4" x 2" x 50' roll | (11) + rolls | \$ 11.31 ea |
| Felt250x3x50_Raw | Felt 1/4" x 3" x 50' roll | Each | \$ 17.30 ea |
| Felt250x3x50_Raw | Felt 1/4" x 3" x 50' roll | (11) + rolls | \$ 16.44 ea |
| | | | |
| Felt125x1x100_Raw | Felt 1/8" x 1" x 100' roll | Each | \$7.60 ea |
| Felt125x1x100_Raw | Felt 1/8" x 1" x 100' roll | (11) + rolls | \$7.22 ea |
| Felt125x1.5x100_Raw | Felt 1/8" x 1-1/2" x 100' roll | Each | \$ 11.10 ea |
| Felt125x1.5x100_Raw | Felt 1/8" x 1-1/2" x 100' roll | (11) + rolls | \$ 10.55 ea |
| Felt125x2x100_Raw | Felt 1/8" x 2" x 100' roll | Each | \$ 14.90 ea |
| Felt125x2x100_Raw | Felt 1/8" x 2" x 100' roll | (11) + rolls | \$ 14.16 ea |
| Felt125x3x100_Raw | Felt 1/8" x 3" x 100' roll | Each | \$ 21.70 ea |
| Felt125x3x100_Raw | Felt 1/8" x 3" x 100' roll | (11) + rolls | \$ 20.62 ea |
| | | | |

Hole Plugs



Metal hole plugs

Our standard hole plugs are unfinished metal. These plugs fit a standard 3/8" diameter hole. They can be painted as required. Sold in boxes of (100)

PART # HPM-100

DESCRIPTION Hole plug, 3/8" diameter, metal

MEASURE Box of (100)



PRICE \$25.00 ea



Plastic hole plugs

Plastic hole plugs in two colors and five diameters. The diameter refers to the diameter of the hole the plug inserts into. Plastic hole plugs are paintable. Sold in bags of (250)

| B | |
|---|--|
| | |

| PART # | DESCRIPTION | MEASURE | PRICE |
|------------------|--|----------------|------------|
| HP_Wht-P250-250 | Hole plug, 1/4" diameter, white plastic | Bag of (250) | \$20.00 ea |
| HP_Wht-P3125-250 | Hole plug, 5/16" diameter, white plastic | Bag of (250) | \$20.00 ea |
| HP_Wht-P375-250 | Hole plug, 3/8" diameter, white plastic | Bag of (250) | \$20.00 ea |
| HP_Wht-P4375-250 | Hole plug, 7/16" diameter, white plastic | Bag of (250) | \$20.00 ea |
| HP_Wht-P500-250 | Hole plug, 1/2" diameter, white plastic | Bag of (250) | \$20.00 ea |
| HP_BIk-P250-250 | Hole plug, 1/4" diameter, black plastic | Bag of (250) | \$20.00 ea |
| HP_BIk-P3125-250 | Hole plug, 5/16" diameter, black plastic | Bag of (250) | \$20.00 ea |
| HP_BIk-P375-250 | Hole plug, 3/8" diameter, black plastic | Bag of (250) | \$20.00 ea |
| HP_BIk-P4375-250 | Hole plug, 7/16" diameter, black plastic | Bag of (250) | \$20.00 ea |
| HP_BIk-P500-250 | Hole plug, 1/2" diameter, black plastic | Bag of (250) | \$20.00 ea |



Vent plugs

Used to vent light boxes, headers etc. Permit the passage of air for ventilation and heat dissipation.



PART # VPlug_1_BI-100 VPlug_1.5_BI-50 VPlug_1.5_BI-100 VPlug_2_BI-50 VPlug_2_BI-100

DESCRIPTION Vent hole plug, 1" diameter, black plastic Vent hole plug, 1-1/2" diameter, black plastic Vent hole plug, 1-1/2" diameter, black plastic Vent hole plug, 2" diameter, black plastic Vent hole plug, 2" diameter, black plastic

PRICE \$17.50 ea \$16.00 ea \$28.00 ea \$23.00 ea

\$42.00 ea

MEASURE

Bag of (100)

Bag of (50)

Bag of (100)

Bag of (100)

MEASURE

Each


Bag of (50)



PART # HHPlug_4_Bl

4" Hand hole plugs

Used to cover access holes where needed.



DESCRIPTION Hand hole plug, 4" diameter, black plastic



PRICE \$2.60 ea

Electrical cords—Round Extension

Cord_S3-1004 **

Heavy duty, all rubber, three wire, grounded extension cords

Oil resistant, flexible to -34 degrees F, molded vinyl male and female plugs, black. Available in both SJ cords and SO cord. (SO cords have a heavier outside rubber coating and will withstand harder use. These SO cords are required by some exhibit halls where cords could be subjected to abuse.)

| S3 S | SERI | ES |
|------|------|----|
|------|------|----|



| 12/3 SO Cords, SOWA UL .635 O.D. Black rubber exterior | | | | | | |
|--|--|-------------------|----------------------|----------------------------|--|--|
| PART # | LENGTH | AMPS | WATTS | PRICE | | |
| Cord_S3-102 (in stock) | 10' | 15 | 1875 | \$15.20 ea | | |
| Cord_S3-152 ** | 15' | 15 | 1875 | \$21.90 ea | | |
| Cord_S3-252 ** | 25' | 15 | 1875 | \$33.20 ea | | |
| Cord_S3-502 (in stock) | 50' | 15 | 1875 | \$60.50 ea | | |
| Cord_S3-1002 ** | 100' | 15 | 1875 | \$110.90 ea | | |
| 11/3 SO Corde SOW | 14/3 S0 Cords, SOWA UL .500 O.D. Black rubber exterior | | | | | |
| 14/5 50 00105, 50 00 | | | CALCHIOL | | | |
| | | | | | | |
| PART # | LENGTH | AMPS | WATTS | PRICE | | |
| PART # Cord_S3-104 ** | LENGTH 10' | AMPS 15 | WATTS 1875 | PRICE \$22.80 ea | | |
| | | | | | | |
| Cord_S3-104 ** | 10' | 15 | 1875 | \$22.80 ea | | |

13

1325

\$89.20 ea

J3 SERIES

12/3 SJ Cords, SJOW-A UL .475 O.D. Black rubber exterior

100'

| PART # | LENGTH | AMPS | WATTS | PRICE |
|--------------|--------|------|-------|-------------|
| Cord_J3-102 | 10' | 15 | 1875 | \$14.70 ea |
| Cord_J3-152 | 15' | 15 | 1875 | \$20.80 ea |
| Cord_J3-252 | 25' | 15 | 1875 | \$31.00 ea |
| Cord_J3-502 | 50' | 15 | 1875 | \$55.60 ea |
| Cord_J3-1002 | 100' | 15 | 1875 | \$101.10 ea |

14/3 SJ Cords, SJOW-A UL .390 O.D. Black rubber exterior

| • | | | | |
|----------------------|--------|------|-------|------------|
| PART # | LENGTH | AMPS | WATTS | PRICE |
| Cord_J3-14 (shortie) | 1'-2" | 15 | 1875 | \$ 4.50 ea |
| Cord_J3-104 | 10' | 15 | 1875 | \$11.50 ea |
| Cord_J3-154 | 15' | 15 | 1875 | \$16.10 ea |
| Cord_J3-254 | 25' | 15 | 1875 | \$23.60 ea |
| Cord_J3-504 | 50' | 15 | 1875 | \$42.10 ea |
| Cord_J3-1004 ** | 100' | 13 | 1375 | \$68.60 ea |
| | | | | |

16/3 SJ Cords, SJOW-A UL .365 O.D. Black rubber exterior

| PART # | LENGTH | AMPS | WATTS | PRICE |
|-------------|--------|------|-------|------------|
| Cord_J3-106 | 10' | 13 | 1625 | \$8.40 ea |
| Cord_J3-156 | 15' | 13 | 1625 | \$11.40 ea |
| Cord_J3-256 | 25' | 13 | 1625 | \$16.50 ea |
| Cord_J3-506 | 50' | 13 | 1625 | \$28.70 ea |

Note: Due to the volatility of copper prices, cord prices can fluctuate frequently. Cord prices subject to change, call to confirm prices.

** Cords marked with ** are non-stock and require ten day lead time



Electrical cords—Flat Extension

Heavy Duty SPT-3 flat extension cords, black with molded plugs

SPT-3 12/3 & 14/3 3-Conductor 125 volt / 15 AMP, Low Profile Extension cord, Black. These cords are especially well suited for use in exhibits for under carpet installation. The flat cord can be taped to the show hall floor prior to installation of pad and carpet. The low profile cords eliminates the need to cut (channel) pad as required for the thicker round cords. SPT-3 low profile extension cords are designed for indoor/outdoor use in convention centers, exhibition halls & hotels and trade show booths and displays. Heavy duty flexible jacket guarantees this cord has fantastic flexibility while being resistant to grease and grime. Ends are molded-on standard 3-prong u/ground type. They are heavy duty, water resistant and come with super tough strain reliefs to insure the cord will not pull away from the ends.



12/3 SPT-3 with ground, Black vinyl cord, black ends

| PART # | LENGTH | AMPS | WATTS | PRICE |
|----------------|--------|------|-------|------------|
| Cord_SPT3-152 | 15' | 15 | 1875 | \$15.70 ea |
| Cord_SPT3-202 | 20' | 15 | 1875 | \$16.20 ea |
| Cord_SPT3-252 | 25' | 15 | 1875 | \$28.30 ea |
| Cord_SPT3-502 | 50' | 15 | 1875 | \$48.10 ea |
| Cord_SPT3-1002 | 100' | 15 | 1875 | \$71.60 ea |

14/3 SPT-3 with ground, Black vinyl cord, black ends

| PART # | LENGTH | AMPS | WATTS | PRICE |
|----------------------|------------------|------|-------|------------|
| Cord_SPT3-94R * | 9' | 15 | 1875 | \$ 9.50 ea |
| Cord_SPT3-154 | 15' | 15 | 1875 | \$14.60 ea |
| Cord_SPT3-254 | 25' | 15 | 1875 | \$21.90 ea |
| Cord_SPT3-504 | 50' | 15 | 1875 | \$38.20 ea |
| * Male end has 90° i | right angle nlug | | | |

* Male end has 90° right angle plug

12/3 & 14/3 SPT-3 with ground, Gray vinyl cord, colored ends

| PART # | LENGTH | ENDS | AMPS | WATTS | PRICE |
|----------------|--------|-------|------|-------|------------|
| Cord_SPT3-152G | 15' | White | 15 | 1875 | \$15.70 ea |
| Cord_SPT3-252G | 25' | Blue | 15 | 1875 | \$28.30 ea |
| Cord_SPT3-504G | 50' | Gray | 15 | 1875 | \$23.70 ea |

Standard Duty SPT-2 flat extension cords, gray with colored molded plugs

SPT-2 12/3 3-Conductor 125 volt / 15 AMP, low profile extension cord, black.

SPT-2 low profile extension cords are designed for indoor/outdoor use in exhibition halls, hotels and trade show booths and displays. The standard duty SPT-2 jacket is thinner than the heavy duty SPT-3 cords. Ends are molded-on standard 3-prong u/ground type.



12/3 SPT-2 with ground, Gray vinyl cord, colored ends

| PART # | LENGTH | ENDS | AMPS | WATTS | PRICE |
|----------------|--------|-------|------|-------|------------|
| Cord_SPT2-152G | 15' | White | 15 | 1875 | \$10.40 ea |
| Cord_SPT2-252G | 25' | Blue | 15 | 1875 | \$16.20 ea |
| Cord_SPT2-504G | 50' | Red | 15 | 1875 | \$30.60 ea |

Electrical—Multi Outlet

Triple outlet, three wire, grounded extension cords Black Molded vinyl male and female plugs

14/3 SJOW UL .390 O.D. Black rubber cord

| PART # | LENGTH | AMPS | WATTS | PRICE |
|------------------|--------|------|-------|--------------|
| Cord_TCR-154 | 15' | 15 | 1875 | \$24.70 ea |
| Cord_TCR-254 | 25' | 15 | 1875 | \$30.90 ea |
| Cord_TCR-504 | 50' | 15 | 1875 | \$46.80 ea |
| Cord_TCR-1004 ** | 100' | 13 | 1625 | \$76.90 ea |

Multi-outlet power strips with surge suppression

Includes surge protection rated at 270 or 500 Joules of protection, lighted on/off switch, 14/3 cord. The outlets are turned to the side for better space utilization. End outlets are spaced for use with power transformers.

| PART # MOSP-5+2Blk | COLOR Black | LENGTH 3' Quantities of | AMPS 15 f (24) and gre | WATTS 1875 eater –5% | JOULES 500 | PRICE \$9.10 ea \$8.65 ea |
|-----------------------|-----------------------|--------------------------------------|-------------------------------------|----------------------------|----------------------|--|
| MOSP-5+1Wht | White | 3' Quantities or | 15 f (24) and gre | 1875 eater –5% | 270 | \$8.80 ea \$8.36 ea |

MOSP-5+1Wht (Limited quantities)

0000



Multi-outlet power strips without surge suppression

Basic power strips without surge suppression.

| MOPS6-Blk (3' cord) | PART # | COLOR | LENGTH | AMPS | WATTS | PRICE |
|---------------------|-----------|--|------------------|--------------|--------------|-----------|
| | MOPS6-Blk | Black | 3' | 15 | 1875 | \$6.90 ea |
| | | Quantities of (24) and greater –5% \$7.13 | | | | |
| | MOPS-6Blk | Black | 6' | 15 | 1875 | \$7.70 ea |
| | | Quantities of (24) and greater –5% \$7.32 ea | | | | |
| MOPS-6Blk (6' co | rd) | * Style may va | ry slightly depe | ending on ma | nufactures s | tock |

Heavy Duty, 4-way, three wire grounded power distribution cords

| 1 |
|----------|
| |
| 14 |
| Co Co |

| 12/3 SJOW UL .475 0.0 | D. Black rul | bber cord wi | th molded v | inyl plug |
|-----------------------|--------------|--------------|-------------|------------|
| PART # | LENGTH | AMPS | WATTS | PRICE |
| Cord_M3-22 (Shortie) | 2' | 15 | 1875 | \$23.60 ea |
| Cord_M3-102 | 10' | 15 | 1875 | \$30.50 ea |
| Cord_M3-152 | 15' | 15 | 1875 | \$32.50 ea |
| Cord_M3-252 | 25' | 15 | 1625 | \$46.00 ea |
| Cord_M3-502 ** | 50' | 15 | 1625 | \$71.10 ea |
| 14/3 SJOW UL .390 O.D | . Black rub | ber cord wit | h molded v | inyl plug |
| PART # | LENGTH | AMPS | WATTS | PRICE |
| Cord_M3-104 | 10' | 15 | 1875 | \$24.90 ea |
| Cord_M3-154 | 15' | 15 | 1875 | \$28.80 ea |
| Cord_M3-254 | 25' | 15 | 1875 | \$39.10 ea |

Cords marked with ** are non-stock and require up to ten day lead time



MOSP-5+2Blk (Our Special Purchase)

Electrical — Replacement cords

Used wherever a power cord is needed, these cords are a popular item. Available with either male only end or female only end. Plug diameter measures 1-1/4"

Black cords with male plug only

14/3 SJOW-A UL .390 O.D. Black rubber exterior

| PART # | LENGTH | AMPS | WATTS | PRICE |
|--------------|--------|------|-------|------------|
| Cord_MR3-34 | 3' | 15 | 1875 | \$ 5.10 ea |
| Cord_MR3-64 | 6' | 15 | 1875 | \$ 6.60 ea |
| Cord_MR3-94 | 9' | 15 | 1875 | \$ 9.00 ea |
| Cord_MR3-124 | 12' | 15 | 1875 | \$11.20 ea |

16/3 SJOW-A UL .390 O.D. Black rubber exterior

| PART # | LENGTH | AMPS | WATTS | PRICE |
|-------------|--------|------|-------|-----------|
| Cord_MR3-36 | 3' | 13 | 1625 | \$4.25 ea |
| Cord_MR3-66 | 6' | 13 | 1625 | \$5.30 ea |
| Cord_MR3-96 | 9' | 13 | 1625 | \$6.90 ea |

Black cords with female plug only

14/3 SJOW-A UL .390 O.D. Black rubber exterior

| PART # | LENGTH | AMPS | WATTS | PRICE |
|-------------|--------|------|-------|------------|
| Cord_FR3-24 | 2' | 15 | 1875 | \$ 3.85 ea |
| Cord_FR3-44 | 4' | 15 | 1875 | \$ 4.25 ea |
| Cord_FR3-64 | 6' | 15 | 1875 | \$ 4.40 ea |
| Cord_FR3-94 | 9' | 15 | 1875 | \$ 8.10 ea |

Extension Cord Accessories—Cord-Lox

Cord-Lox are Velcro straps that are designed to attach to the ends of cords and cables using the rivet provided. Once attached they create a strap that quickly wraps around coiled cords to secure the coils. The smooth exterior surface allows printing company name or other information to help identify and protect the cords and cables. Currently available in three colors and three lengths.


| PART # CL309R-ORG-10 CL309R-RED-10 CL309R-YEL-10 CL312R-ORG-10 CL312R-RED-10 CL312R-YEL-10 CL315R-ORG-10 CL315R-RED-10 | DESCRIPTION Cord-Lox straps, Orange 9" Cord-Lox straps, Red 9" Cord-Lox straps, Yellow 9" Cord-Lox straps, Orange 12" Cord-Lox straps, Red 12" Cord-Lox straps, Orange 15" Cord-Lox straps, Red 15" | MEASURE Bag of (10) Bag of (10) Bag of (10) Bag of (10) Bag of (10) Bag of (10) Bag of (10) | PRICE \$14.50 ea \$14.50 ea \$15.80 ea \$15.80 ea \$15.80 ea \$16.00 ea \$16.00 ea |
|--|--|--|--|
| | Cord-Lox straps, Orange 15" Cord-Lox straps, Red 15" Cord-Lox straps, Yellow 15" | Bag of (10) Bag of (10) Bag of (10) | \$16.00 ea \$16.00 ea \$16.00 ea |

9" strap will fit 15' cords, 12" straps will fit 25' cords, 15' straps will fit 50' & 100' cords Felt tip markers work well for writing on the exterior of the straps for labeling



Instructions for using the Display Innovations Wrench Access Hole Drilling Kit

- 1: Install the panel locks in the panel stile in the usual way.
- 2: Cover one face of the panel frame with plywood or other material.
- 3: Add the finish surface to the plywood or other material.
- 4: Insert 5/16" X 10" pipe into wrench opening of the lock from the uncovered side of the panel until it hits the back side of the plywood panel surface.




- 5: Insert the 7/64" X 12" drill bit through the center of the pipe and drill through the plywood and finished surface.
- 6: Remove the pipe from the lock wrench opening.
- 7: Using the 3/8" brad point bit, drill the 7/64" hole out to 3/8" from the face of the panel.
- 8: If you are building double sided panels, and want a wrench access hole in both faces of the panel, add the plywood or other material, plus the finish material to the second side of the panel and repeat steps 4, 5, 6 and 7.

This drilling system will work on any panel thickness up to 10".

This drilling method should give a perfect hole location every time, and in perfect alignment with the wrench hole in the lock.

1 13/16"

Panel Lock Installation Instructions



8160 Jensen Avenue South St. Paul, MN 55016-3440

Sales: 800-583-9691 Office: 651-459-3816 Fax: 651-459-3641 E-mail: sales@displayinnovations.com